Lyme Disease & Common Co-Infections Short Symptom List

Borrelia, Babesia, Bartonella, and Ehrlichia

The following symptoms were excerpted from <u>Diagnostic Hints And Treatment</u> <u>Guidelines For Lyme And Other Tick Borne Illnesses</u>, by Joseph J. Burrascano Jr., M.D. (Fifteenth Edition 2008). Available online at <u>www.ilads.org</u>

Borrelia

(Borreliosis, neuroborreliosis; also known as Lyme Disease)

Spread primarily though the bite of infected ticks that live on a wide range of mammalian species; secondary human-to-human transmission through semen, breast milk, and possibly *in utero*

Bladder dysfunction

Burning or stabbing sensations

Cardiac impairment

Change in bowel function

Chest pain

Confusion

Depression

Difficulty thinking

Difficulty with concentration and reading

Difficulty with speech, writing

Difficulty finding words; name blocking

Disorientation: getting lost, going to wrong places

Disturbed sleep: too much, too little, fractionated, early awakening

Ears/Hearing: buzzing, ringing, ear pain, sound sensitivity

Exaggerated symptoms or worse hangover from alcohol

Eyes/Vision: double, blurry, increased floaters, light sensitivity

Facial paralysis (Bell's palsy)

Fatigue, tiredness, poor stamina

Forgetfulness

Headache

Heart block

Heart murmur

Heart palpitations

Heart valve prolapse

Increased motion sickness

Irritability

Irritable bladder

Joint pain or swelling

Lightheadedness

Mood swings

Muscle pain or cramps

Neck creaks & cracks

Neck stiffness, pain

Numbness

Pelvic pain

Poor attention

Poor balance

Poor short-term memory

Problem absorbing new information

Pulse skips

Rib soreness

Sexual dysfunction or loss of libido

Shooting pains

Shortness of breath; cough

Skin hypersensitivity

Sore throat

Stiffness of the joints or back

Swollen glands

Testicular pain

Tingling

Tremor

Twitching of the face or other muscles

Unavoidable need to sit or lay down

Unexplained breast pain

Unexplained fevers, sweats, chills or flushing

Unexplained hair loss

Unexplained menstrual irregularity'

Unexplained milk production

Unexplained weight loss or gain

Upset Stomach or abdominal pain

Vertigo

Wooziness

Babesia

(Babesiosis)

Babesia is a protozoan spread by ticks, blood transfusion, and *in utero*. Despite there being 20+ known forms to date, current testing only looks for two of them (*B. microti* and WA-1).

Air hunger

Cough

Fatigue

Fevers

Headache

Hemolysis

Imbalance without true vertigo

Mild encephalopathy

Shaking chills Sweats

Bartonella

(Bartonellosis, also known as cat scratch fever)

Spread by bites from infected ticks and in utero

abnormal liver enzymes encephalopathy endocarditis flu-like malaise headache hemolysis with anemia hepatomegaly high fever immune deficiency jaundice lymphadenopathy myalgias myocarditis papular or angiomatous rash somnolence sore throat splenomegaly weakened immune response

Ehrlichia

(Ehrlichiosis)

Spread by bites from infected ticks

elevated liver enzymes headaches myalgias ongoing fatigue persistent leukopenia thrombocytopenia

Printed from www.anapsid.org/lyme/symptoms/tbi-symptoms.html

More information on Lyme and other tickborne diseases:

www.lymedisease.org www.ilads.org www.lymenet.org